Maternal-newborn health performance measurement & management

On routine documentation & measurement


HMIS
indicators


High **effective coverage**?
yes
no
Continue to implement & monitor
Systematically assess **implementation strength**

“coverage”
vs.
“quality”

contact
vs.
content

“Benchmark Indicators”

MDG 5 Improve Maternal Health

Target 5.A: Reduce by three quarters, between 1990 and 2015, the maternal mortality ratio

- 5.1 Maternal mortality ratio
- 5.2 Proportion of births attended by skilled health personnel

Target 5.B: Achieve, by 2015, universal access to reproductive health

- 5.3 Contraceptive prevalence rate
- 5.4 Adolescent birth rate
- 5.5 Antenatal care coverage (at least one visit and at least four visits)
- 5.6 Unmet need for family planning

“skilled birth attendance”

why we should drop it


ΔNMR
25
20
15
10
5
0
-5
-10
-15
-20
ΔSBA
-15
-10
-5
0
5
10
15
20
25


ΔNMR
25
20
15
10
5
0
-5
-10
-15
-20
-15
-10
-5
0
5
10
15
20
25
ΔSBA

ANC4+

Hodgins S, D'Agostino A. The quality-coverage gap in antenatal care. *Glob Health Sci Pract*. 2014 Apr 8;2(2):173-81.

Routine health information systems:

challenges

Routine health information systems:

addressing the challenges

What gets measured gets attention